



PRODUCT NUMBER: 2342242
Vertigo Check & Go black PU

3

For handling sharp parts in a dry or slightly greasy environment.



Overview

Reference Number

2342242

Product Type

Gloves

Range

Cut and Puncture Protection

Line

Cut resistant

Brand

Honeywell

Industry

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Energy or Electricity
- Glass Industries
- Logistics
- Maintenance
- Metal steel
- Paper Industries
- Services
- Telecoms
- Transportation
- Utilities

Product Use

For handling sharp parts in a dry or slightly greasy environment.

Features & Benefits

Feature

Black Spectra® knitted glove
 Black polyurethane coating on palm and fingers tips

Benefit

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.
 The glove offers maximum comfort and added sturdiness.
 The cool Spectra® touch gives an added sensation of comfort.
 The glove's ventilated back optimises its breathability.

RESISTANCE

The Spectra®/Lycra® thread provides outstanding properties against cuts.
 The polyurethane coating at the palm provides outstanding abrasion resistance.
 Caution! Do not expose this glove to the heat.

SAFETY

Marking of the cut resistance level on top of the glove for a better identification of the protection by safety manager and worker.

HYGIENE

Black colour dedicated to dirty applications and environments.

Technical Description

Description

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 EEC Basic standard

EN 388-2003 Mechanical risks

CHARACTERISTICS :

Black Spectra® knitted glove

Black polyurethane coating on palm and fingers tips

Product Technology

Knitted Coated

Fiber

Spectra®

Gauge

13

Glove/liner color

Black

Coating Type

Polyurethane

Coating Color

Black

Length

23 cm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

6 à 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance (Coupe test)	3
Tear resistance	4
Puncture resistance	2

Packaging Label

Tagging

CE HONEYWELL

2342242 XX

EN 420

EN 388 : 4342

Certifications

E.C. Declaration of Conformity

EC Category PPE

2

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

0075/797/162/11/08/0443 EXT 02/10/2015

EC Attestation

EC Attestation

EC Attestation Number

0075/797/162/11/08/0443 EXT 02/10/2015

Additional Information

User Manual

UI 102

User Information Sheet

102

Maintenance

Storage Information

Minimum packaging 10 pairs.
Cartons of 100 pairs.

Care Instructions

This article can be cleaned industrially. Please contact Honeywell Safety Products.