

NYSOS VV904



ANTI-VIBRATORY GLOVE Ref. VV904







Product specifications


100% Polyester. Palm and fingertips reinforced with rubber pads (0.8 cm thick). Thermoplastic (TPR) back reinforcement. Gauge 7.

Support: 100% polyester. Coating: natural latex. Back reinforcement: Thermoplastic (TPR).

COLOUR

Yellow-Black

SIZE 10, 11





Product's highlights & user's benefits

U 3D	
2007	
	Glove with single coating reducing the effects from impacts, shock and vibration
THE	Flexible reinforcements for better protection against impact and pinching
	Protection of the metacarpals 5 J
	Anti-vibration
	Protection against impact in metacarpal area. For an energy impact of 5 J, the maximum force transmitted to the back of the hand must be less than 4 kN
	The support with its soft weave (seamless) makes it very comfortable for extended wear and allows good dexterity and grip
1	Available only with header card



Certifications and Standards

C E RÈGLEMENT (UE) 2016/425

EN420:2003+A1:2009 General requirements

1: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

- 4: Resistance to abrasion (from 1 to 4)
- 2: Resistance to cutting (from 1 to 5)
- 4: Resistance to tear (from 1 to 4)
 - 2: Resistance to puncture (1 to 4)
- X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)
- P: Protection against impact in metacarpal area (P) (EN13594:2002 6.8.2)

EN/ISO10819:2013 Vibrations and impacts of mechanical origin

References					
References	Bar code	COLOUR	SIZE	Ŵ	ž.
VV904JA10	3295249180478	Yellow-Black	10	60	12
VV904JA11	3295249180485	Yellow-Black	11	60	12