Honeywell | Safety Products





PRODUCT NUMBER: 2058685

Protection against small drops of liquid gas up to - 170°C.

Honeywell

+ View More

Overview

Reference Number 2058685

Product Type

Gloves

Range

Specific Protection

Brand Honeywell

Brand formerly known as

SPERIAN

Industry

Chemical Industries
Petro-chemical

Product Use

Protection against small drops of liquid gas up to - 170°C.

Feature

CRYOGENIC - 2058685

Water-repellent silicone cowhide grain leather glove Fully lined with 2 aluminium/fleece layers Gunn cut, winged thumb, crispin type Reinforcement between thumb and index 200 mm split leather cuff Velcro® adjustment strap on side of the palm

Benefit

COMFORT

The US assembly, the winged thumb and flexibility of the materials used make this glove anatomical, thus providing excellent comfort. The Velcro fastening tab gives the glove good support.

RESISTANCE

The silicone cowhide grain leather ensures good flexibility, even at a low temperature as well as water repellence and good mechanical protection.

Its polar double insulation offers outstanding protection against the cold and rays. The reinforcement between the thumb and index finger increases the glove's mechanical resistance and durability by strengthening the areas of wear.

HYGIENE

The hide cuff offers good forearm protection against mechanical hazards and limits any risk of intrusion.

Description

CE CATEGORY : II Intermediary risks In accordance with standards : EN 420-2003 EEC Basic standards EN 388-2003 Mechanical Hazards EN 511-2006 Cold protection

CHARACTERISTICS :

Water-repellent silicone cowhide grain leather glove Fully lined with 2 aluminium/fleece layers Gunn cut, winged thumb, crispin type Reinforcement between thumb and index 20 cm split leather cuff Velcro® adjustment strap on side of the palm

Product Technology

Cut and Sewn

Coating Type

Thickness

Leather

Harmlessness

In conformity with the European standards

Dexterity Class 5

Sizes

Features & Benefits

Technical Description

```
9 to 11
```

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
Cutting resistance	2
Tear resistance	2
Puncture resistance	2

EN 511- Protection in cold temperatures:

Resistance to conductive cold	2	
Resistance to contact cold	2	
Water permeability	0	

Packaging Label

Tagging CE SPERIAN 2058685 XX EN 420 EN 388 : 3222 EN 511 : 220

E.C. Declaration of Conformity

EC Category PPE

2

EC Certificate Number 0075/797/162/01/09/0001


EC Attestation EC Attestation

EC Attestation Number 0075/797/162/01/09/0001

We're sorry, there are no images available at this time.

Photos & Images

CRYOGENIC - 2058685



© Honeywell International Inc.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

СТС

4,rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/01/09/0001

To the following model of personal protective equipment #

* protective glove against mechanical risks, cold risks.

* reference of the model 2058685

* responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on January 02th, 2009 Update 01 of June 25th, 2012 Issued by Nadine PIPAZ NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certification or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R, 4313-38 of the French Code of Work amination C



1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 02 Reference : 2058685 Basic Model Dated : JUNE, 2012

5 Fingers glove, cowhide grain water repellent leather. Fylly lined with 2 alumium/fleece layers. Reinforcement between thumb and index. Cuff in cowsplit leather. Velcro on the back of the cuff,

Available sizes :

09 10 11

Visual description :



Material :

	Colour	Material	Gauges	Thikness
	beige	cowhide grain leather, silicone/water- repellent leather		1,1/1,3mm
PALM	Natural	poyamide yarn		
	beige	reinforcement in cowhide grain leather, silicone/water- repellent leather		1,1/1,3mm
BACK	beige	cowhide grain leather, silicone/water- repellent leather		1,1/1,3mm
	Natural	poyamide yarn		
	Black	fleece brushed		
LINING	Black aluminized	fleece brushed aluminized		
CUFF	Natural	Cowsplit leather		1,1/1,3mm
0011	Black	velcro		
BINDING				



Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 General requirements for gloves and test methods
- * EN 388:2003
- Protective glove against mechanical risks
- * EN 511 : 2006 * Innocuousness
- Protective gloves against cold

- At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (552/2009/EC and associated revisions).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		0804-3536/1 1201-1158/1	1201-1158/1 1203-3050/1
Azo		0804-3536/1	
EN 388		0804-3536/1 1201-1158/1	
EN 511		0804-3445 0804-3453	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion	Blade cut	Tear strength resistance	Puncture
resistance	resistance		resistance
3	2	2	2

The levels of performance have been measured on the palm

Performance levels offered against cold (EN 511:2006) are:

Convective cold	Contact cold	Water penetration
2	2	0



Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * C Č marking
- * reference of the model: 2058685
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for cold risks followed by the performance levels
- * information pictogram

Marking example:

Honeywell	
	20 586 85 XX
٢e	EN 420 EN 511 EN 388



E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Europe

<u>Declares that the Personal Protective Equipment described here after conforms to the</u> provisions of the European Council Directive 89/686/CEE:

Designation: CRYOGENIC Reference: 2058685 Standard(s): EN 388, EN 420, EN 511

This PPE is the object of the below EC examination certificate n°: 0075/797/162/01/09/0001

Delivered by: CENTRE TECHNIQUE DU CUIR 4 rue Hermann Frenkel 69367 Lyon Cedex 07

Drawn up in Lyon, on the 21/02/2014 **By**: Nadine Pipaz **Division**: Gloves

HONEYWELL SAFETY PRODUCTS EUROPE Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses BP 55288 Villepinte - 95958 ROISSY CDG CEDEX SAS au capital 17 750 000 € - Sirel 348,892 307 00137 Tel. +331 4990 7979 - Fax - 121-4990 7980

> ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80 www.honeywellsafety.com