









Product Family
Sperian A900 Series

Affordably priced!
 Sporty model with non-slip rubber nose bridge and temples with soft, padded inserts to provide a comfortable fit.

Product Numbers & Ordering Information

Product Numbers	Details
 A900AN	Black Frame Clear Lens, Anti-scratch Coating. Certified to AS/NZS 1337: 1992 Medium Impact. Lic Number: SMK 21727
 A901AN	Black Frame Clear Lens, Fog-Ban Anti-fog Coating. Certified to AS/NZS 1337: 1992 Medium Impact. Lic Number: SMK 21727
 A902AN	Black Frame Gray Lens, Anti-scratch Coating. Certified to AS/NZS 1337: 1992 Medium Impact. Lic Number: SMK 21727
 A903AN	Black Frame Gray Lens, Fog-Ban Anti-fog Coating. Certified to AS/NZS 1337: 1992 Medium Impact. Lic Number: SMK 21727
 A904AN	Black Frame Silver Mirror Lens, Anti-scratch Coating. Certified to AS/NZS 1337: 1992 Medium Impact. Lic Number: SMK 21727
Product Numbers	Details
 A900	Black Frame Clear Lens, Anti-scratch Coating



A901

Black Frame
Clear Lens, Fog-Ban Anti-fog Coating



A902

Black Frame
Gray Lens, Anti-scratch Coating



A903

Black Frame
Gray Lens, Fog-Ban Anti-fog Coating



A904

Black Frame
Silver Mirror Lens, Anti-scratch Coating

Additional Information

Americas: information@sperianprotection.com; 800-682-0839

Overview

Key Features

- Affordably priced for your business
- Sporty, 8-base wrap-around polycarbonate lens
- Non-slip rubber nose bridge
- Temples with soft, padded inserts provide a comfortable fit
- Available with scratch-resistant hardcoating or optional Fog-Ban anti-fog coating

Recommended Industries/Use

- Construction
- Forestry
- Manufacturing

Hazards

- Abrasion
- Airborne Particulates
- Biohazard
- Impact
- Low Visibility

Regulations

- ANSI Z87+ - Meets ANSI Z87+ (High Impact) standards
- AS/NZS 1337 - Meets AS/NZS 1337

Historical Brand

Pulsafe, Willson

Warranty Information

LIMITED WARRANTY: Sperian warrants that its products are free from defects in material and workmanship. A product that is subject of a warranty claim must first be made available to an authorized Sperian Safety distributor or the to seller from whom the product was purchased. All warranty returns must be shipped pre-paid. Sperian or the Sperian Safety distributor will then determine whether repair or replacement of the product is the appropriate remedy. This will be done at no charge to the end-user. This limited warranty does not cover any Sperian product or component found to have been altered, misused, abused tampered with or improperly maintained or to have deteriorated due to aging of any components made of rubber or any other elastomer. This limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper maintenance, use or misuse of the product. Sperian Safety should be used only on strict accordance with and adherence to the detailed instructions and warnings provided with the product.

Specifications

Range

- Spectacles

Lens Type

- Double

Lens Overall Width

- 170mm (6.69 inch)

Lens Material

- Polycarbonate

Lens Coating

- Fog-Ban® Anti-Fog, Scratch-Resistant Hardcoat

Lens Thickness

- 2.05mm (0.081 inch)

Available Lens Tints

- Clear, TSR Gray, Silver Mirror

Replacement Lenses Available

- No

Rx Capable

- No

Temple Material

- Polycarbonate

Temple Length

- 118mm (4.646 inch)

Temple Set-back

- 70mm (2.756 inch)

Temple Style

- Spatula (one piece) with PVC pads

Spectacle Weight

- 23.93 grams (0.84 oz.)

Frame Material

- Polycarbonate

Available Frame Colors

- Black

Dielectric Frame (Yes/No)

- Yes

Packaging

- Individual polybag, 10 pr./Stocker, 200 pr./Case

Country of Origin

- Taiwan

Side Shield Material

- N/A

MSDS Requirements

- None

WHMIS Requirements

- None

Harmonization Code

- 9004.90.0000

Lens Material

- Polycarbonate

Impact Protection

- Medium

Training & Proper Use

All products come packaged with instructions and warnings for proper use.

Technical Support

Americas: information@sperianprotection.com; 800-682-0839

Asia Pacific: asia@sperianprotection.com