



# **Product Family** Sperian A900 Series

Affordably priced! Sporty model with non-slip rubber nose bridge and temples with soft, padded inserts to provide a comfortable fit.

Product Numbers & Ordering Information			
	Product Numbers	Details	
	A900AN	Black Frame Clear Lens, Anti-scratch Coating. Certified to AS/NZS 1337: 1992 Medium Impact. Lic Number: SMK 21727	
	A901AN	Black Frame Clear Lens, Fog-Ban Anti-fog Coating. Certified to AS/NZS 1337: 1992 Medium Impact. Lic Number: SMK 21727	
100 · · · · · · · · · · · · · · · · · ·	A902AN	Black Frame Gray Lens, Anti-scratch Coating. Certified to AS/NZS 1337: 1992 Medium Impact. Lic Number: SMK 21727	
	A903AN	Black Frame Gray Lens, Fog-Ban Anti-fog Coating. Certified to AS/NZS 1337: 1992 Medium Impact. Lic Number: SMK 21727	
	A904AN	Black Frame Silver Mirror Lens, Anti-scratch Coating. Certified to AS/NZS 1337: 1992 Medium Impact. Lic Number: SMK 21727	
	Product Numbers	Details	
	A900	Black Frame Clear Lens, Anti-scratch Coating	

#### Sperian A900 Series

A901	Black Frame Clear Lens, Fog-Ban Anti-fog Coating
A902	Black Frame Gray Lens, Anti-scratch Coating
A903	Black Frame Gray Lens, Fog-Ban Anti-fog Coating
A904	Black Frame Silver Mirror Lens, Anti-scratch Coating

#### **Additional Information**

Americas: information@sperianprotection.com; 800-682-0839

# **Overview**

# **Key Features**

- Affordably priced for your business
- Sporty, 8-base wrap-around polycarbonate lens
- Non-slip rubber nose bridge
- Temples with soft, padded inserts provide a comfortable fit
- · Available with scratch-resistant hardcoating or optional Fog-Ban anti-fog coating

# Recommended Industries/Use

• Construction • Forestry • Manufacturing

# Hazards

• Abrasion • Airborne Particulates • Biohazard • Impact • Low Visibility

# Regulations

- ANSI Z87+ Meets ANSI Z87+ (High Impact) standards
- AS/NZS 1337 Meets AS/NZS 1337

#### **Historical Brand**

Pulsafe, Willson

# **Warranty Information**

LIMITED WARRANTY: Sperian warrants that is products are free from defects in material and workmanship. A product that is subject of a warranty claim must first be made available to an authorized Sperian Safety distributor or the to seller from whom the product was purchased. All warranty returns must be shipped pre-paid. Sperian or the Sperian Safety distributor will then determine whether repair or replacement of the product is the appropriate remedy. This will be done at no charge to the end-user. This limited warranty does not cover any Sperian product or component found to have been altered, misused, abused tampered with or improperly maintained or to have deteriorated due to aging of any components made of rubber or any other elatomer. This limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper maintenance, use or misuse of the product. Sperian Safety should be used only on strict accordance with and adherance to the detailed instructions and warnings provided with the product.

# **Specifications**

# Range

Spectacles

# Lens Type

Double

#### **Lens Overall Width**

• 170mm (6.69 inch)

# **Lens Material**

Polycarbonate

# **Lens Coating**

• Fog-Ban® Anti-Fog, Scratch-Resistant Hardcoat

# **Lens Thickness**

• 2.05mm (0.081 inch)

# **Available Lens Tints**

• Clear, TSR Gray, Silver Mirror

#### Replacement Lenses Available

No

# **Rx Capable**

No

#### **Temple Material**

Polycarbonate

# **Temple Length**

• 118mm (4.646 inch)

# Temple Set-back

• 70mm (2.756 inch)

# **Temple Style**

• Spatula (one piece) with PVC pads

# **Spectacle Weight**

• 23.93 grams (0.84 oz.)

# Frame Material

Polycarbonate

#### **Available Frame Colors**

• Black

# Dielectric Frame (Yes/No)

• Yes

# **Packaging**

• Individual polybag, 10 pr./Stocker, 200 pr./Case

# **Country of Origin**

Taiwan

# **Side Shield Material**

N/A

# **MSDS** Requirements

None

#### **WHMIS** Requirements

None

# **Harmonization Code**

• 9004.90.0000

# **Lens Material**

Polycarbonate

# **Impact Protection**

Medium

# **Training & Proper Use**

All products come packaged with instructions and warnings for proper use.

# **Technical Support**

Americas: information@sperianprotection.com; 800-682-0839

Asia Pacific: asia@sperianprotection.com

© Honeywell International Inc.